

Digital manufacturing for traceability:
The way to higher product quality and
better warranty management

SIEMENS

White Paper

Digital manufacturing for traceability aids warranty management
and quality assurance.

Contents

- Executive summary..... 3**
- The cost of poor quality 4**
- The goals of traceability 5**
 - Goals of digital manufacturing for traceability..... 5
- What does traceability do? 6**
- Results of digital manufacturing for traceability 7**
 - Short-term benefits 8
 - Long-term benefits..... 8
- Conclusion 9**

Executive summary

Driven by high-profile regulations compliance like the TREAD Act, warranty management has become a hot topic across industries worldwide. Recalls are costly and time-consuming events that should be avoided entirely. But without adequate process traceability and product genealogy, too many customers will get defective products and too many products will be recalled for repair or replacement even though they are not defective. Both scenarios have enormous implications for the quality-conscious manufacturer that gets rated on the number of recalls it performs – not to mention the enormous direct costs. The core issue is visibility into product quality.


Companies must contain potential quality problems before the product leaves the plant while providing detailed product genealogy information to trading partners. Today, few manufacturing enterprises enjoy a true component and process traceability system to facilitate this. If they do, the system likely does not extend outside to trading partners, contract manufacturing plants, distribution centers or transportation providers.

A complete digital manufacturing for traceability system minimizes the cost of product recalls and eliminates recalls altogether.

A traceability system that solves this problem will achieve two primary goals:

- Minimize the number of products that are recalled when a manufacturing flaw is found by identifying only the specific serial numbers that were built with the faulty component or by identifying the faulty process.
- Eliminate recalls in the first place by providing real-time reports on the machines, components, stations, shifts and operators involved in the defective product and processes before the product is shipped.

Improved production quality, cost containment and product warranty management through part and process traceability – elements of a digital manufacturing system – can ultimately improve customer satisfaction by reducing the risks and costs of poor quality and recalls.



X-factory architecture applied to manufacturing line.

The cost of poor quality

The most severe outcome of poor quality is product recall. The impact of recalling thousands of products is tremendous. Warranty costs in the automotive industry alone exceed \$9 billion per year. The short- and long-term costs of a recall can be enormous and is influenced by many factors. Some costs are directly related to recall activities, such as investigation of the product failure, customer notification of the recall, transportation of the recalled product, redesign and repair costs and the loss in value of the defective product.

Other costs are indirectly associated with the product recall and poor quality, including the loss of sales due to negative publicity. The bottom line is that poor quality can have a dramatic effect on a manufacturer's profits.

Warranty costs for leading North American manufacturers range from 2 percent to 5 percent of sales, according to AMR Research.

The goals of traceability

Manufacturers must continuously improve their processes, with the goal of delivering products with no discernible defects. This is complementary to Six Sigma goals that strive to improve customer satisfaction by virtually eliminating product defects in the first place. To move toward Six Sigma, manufacturers must be able to trace the manufacturing process to both anticipate and detect a nonconforming process during production, before the product is shipped to the OEM or the end-customer.

Digital manufacturing for traceability enables manufacturers to better control the quality and performance of manufacturing processes and assets. The result is reduced cost and continuously improved manufacturing processes – both in planning and execution. This drives product quality, production throughput and company profitability.


Goals of digital manufacturing for traceability¹

1. Identify defects prior to customer delivery to reduce in-process costs (proactive, short-term benefit) and eliminate the need for a recall (proactive, long-term benefit)
2. Identify products impacted by the defect after customer delivery to minimize recall costs (reactive, short-term benefit)

1. Digital manufacturing is a business strategy, enabled by technology, to manage all facets of creating, optimizing and executing manufacturing processes. For more on digital manufacturing visit www.siemens.com/tecnomatix.

What does traceability do?

Specifically, a digital manufacturing for traceability system combines production planning, material management, performance monitoring and quality management. It automatically captures detailed manufacturing process information from the shop floor, compares it with the manufacturing process plan and alerts management to any gaps that could lead to product quality issues.



WIP Filter	WIP Filter	WIP Filter	WIP Filter
A100_001_001	A100_001_002	A100_001_003	A100_001_004
A100_001_005	A100_001_006	A100_001_007	A100_001_008
A100_001_009	A100_001_010	A100_001_011	A100_001_012
A100_001_013	A100_001_014	A100_001_015	A100_001_016
A100_001_017	A100_001_018	A100_001_019	A100_001_020
A100_001_021	A100_001_022	A100_001_023	A100_001_024
A100_001_025	A100_001_026	A100_001_027	A100_001_028
A100_001_029	A100_001_030	A100_001_031	A100_001_032
A100_001_033	A100_001_034	A100_001_035	A100_001_036
A100_001_037	A100_001_038	A100_001_039	A100_001_040
A100_001_041	A100_001_042	A100_001_043	A100_001_044
A100_001_045	A100_001_046	A100_001_047	A100_001_048
A100_001_049	A100_001_050	A100_001_051	A100_001_052
A100_001_053	A100_001_054	A100_001_055	A100_001_056
A100_001_057	A100_001_058	A100_001_059	A100_001_060
A100_001_061	A100_001_062	A100_001_063	A100_001_064
A100_001_065	A100_001_066	A100_001_067	A100_001_068
A100_001_069	A100_001_070	A100_001_071	A100_001_072
A100_001_073	A100_001_074	A100_001_075	A100_001_076
A100_001_077	A100_001_078	A100_001_079	A100_001_080
A100_001_081	A100_001_082	A100_001_083	A100_001_084
A100_001_085	A100_001_086	A100_001_087	A100_001_088
A100_001_089	A100_001_090	A100_001_091	A100_001_092
A100_001_093	A100_001_094	A100_001_095	A100_001_096
A100_001_097	A100_001_098	A100_001_099	A100_001_100

Digital manufacturing for traceability information by component date code provides a list of all operations performed using that date code of parts, including part retrieval and setup on machines and which specific products (by serial number) were built with those parts.

Digital manufacturing for traceability also provides detailed historical data on the production process for any given work order – enabling investigation into the root cause of quality issues.

Varying levels of digital manufacturing for traceability are in use today.


Minimally, the system tracks product genealogy information, meaning that it identifies which specific parts or components are assembled into which specific products. In this case, a component could be either a single, discrete element, such as an integrated circuit (IC) chip on a printed circuit board, or a pre-assembled unit that is part of a larger assembly hierarchy, such as a ball joint on an automotive suspension subassembly. When a flawed component is identified, the digital manufacturing for traceability system provides detail on only the products – identified by serial number – that were built with the same lot as defective components.

The second level of digital manufacturing for traceability tracks very detailed process-related information, such as exactly when and where a specific part was assembled, which machine or device was used and who performed the operation. With this information, digital manufacturing for traceability

identifies real-time errors that have occurred during the manufacturing process: such as feeder nozzle errors on a circuit-board assembly machine or incorrect weld gun positioning. This level of traceability more precisely determines the root cause of the defect.

A third and critical level of digital manufacturing for traceability compares the planned and the executed manufacturing process in order to proactively identify nonconformities that are in-process but prior to customer shipment, eliminating the cost of recalling the product in the first place.

Finally, at its highest level, the verification functionality of digital manufacturing for traceability proactively prevents errors before and during production. Digital manufacturing manages process execution by interactively guiding shop floor workers through tasks – in real-time – preventing them from performing a nonconforming task, or preventing a given worker from performing a task he/she is unqualified to perform. For example, digital manufacturing lets a specific (qualified) user know which specific parts must be loaded onto a specific machine for a specific order. When the part is loaded onto the machine, the system verifies that this is desired part-machine combination. If an incorrect combination is detected, an alert is generated that allows the user (or the supervisor) to make an immediate correction. This saves production time, money and resources by avoiding nonconfirming tasks or preventing products to be delivered with defective components.



Group	Inventory	Description	Created
Components	C04_326	Inductor, 22.0µH	1/10/2009 3:45:39 PM
Components	C04_375	Inductor, 0.27µH	1/10/2009 3:45:39 PM
Components	C04_38	Inductor, 6.81µH	1/10/2009 3:45:39 PM
Components	C04_528	Transistor, NPN 40m	1/10/2009 3:45:40 PM
Components	C04_376	Resistor 27.0k	1/10/2009 3:45:40 PM
Components	C04_338	Resistor 10.0k	1/10/2009 3:45:40 PM
Components	C04_473	Resistor 47.3k	1/10/2009 3:45:40 PM
Components	C04_562	Resistor 56.2k	1/10/2009 3:45:40 PM
Components	C04_324	Resistor 32.4k	1/10/2009 3:45:40 PM
Components	C04_0010015	Capacitor, 0.01µF 16V	1/10/2009 3:45:40 PM
Components	C04_0100015	Capacitor, 0.1µF 16V	1/10/2009 3:45:40 PM
Components	C04_1000000	Capacitor, 1000µF 50V	1/10/2009 3:45:40 PM
Components	C04_2000000	Capacitor, 2000µF 50V	1/10/2009 3:45:40 PM
Components	C04_2200000	Capacitor, 2200µF 50V	1/10/2009 3:45:40 PM
Components	C04_5600000	Capacitor, 5600µF 50V	1/10/2009 3:45:40 PM
Components	C04_311	IC, Transceiver 24 on	1/10/2009 3:45:40 PM
Components	C04_312	IC, Amplifier 4 on	1/10/2009 3:45:40 PM
Components	C04_313	IC, Voltage Regulator 4 pin	1/10/2009 3:45:40 PM
Components	C04_314	IC, Inverter 3 pin	1/10/2009 3:45:40 PM

Traceability information by product serial number reveals all operations performed on that product, including time stamp and operator name and a list of components and date codes being traced in that product.

Results of digital manufacturing for traceability

A large amount of data is collected by the digital manufacturing for traceability system throughout the planning, setup and execution stages of the production process (see page 3). During production setup, specific part lots are recorded at each process station. During process execution, each product's genealogy is recorded by identifying the exact time that each product is assembled at each station. Also, process errors (or gaps between the process plan and what's actually executed) are collected in real time during production. Given all this data, several different actions can be taken, most importantly, corrective action and root cause analysis.

Typically, the manufacturer needs to know:

- What components failed?
- Precisely what products included the defective component?
- Do those products need to be removed from work in process or recalled from the customer?
- Precisely what process did defective components and products go through?
- Which people were involved?
- Was the defect due to bad design, bad material or a bad process?
- How can the process be improved to detect or prevent these defects in the future?

If a product defect is found, a failure analysis is performed to identify the defective component. Once the defective component has been identified, the system produces a report with detailed information about the component, including lot number and vendor.

The next step determines in which products the defective part was used. A defective lot of components may have been used in several products, which are all now faulty. Or, unused defective components in inventory or another storage location may need to be retrieved to prevent them from being used in production.

After analyzing all affected products, manufacturers will then want to determine the root cause of the problem. With digital manufacturing for traceability, the manufacturer can apply corrective action by tracing the defective product back through all production and inspection phases to the raw materials, specific equipment and individuals involved in the manufacturing process.

Further analysis identifies specific process abnormalities that may have occurred during production to cause the defective component. Examples of process abnormalities include part placement errors or inappropriate storage of a component or assembly. Faulty products might share common conditions, such as a common process or common supplier, which can then be corrected to improve product quality. The correlation of error information and historical process data allows manufacturers to implement corrective action and make the most informed quality and warranty management decisions.

A lot of manufacturing happens before a problem is detected – on average, more than five years of it. The average is 63.6 months!

AMR Research event:
Technology Priorities for the Automotive Industry, Oct 7, 2003

Short-term benefits

- Operator error proofing ensures the correct part is handled by a qualified worker during assembly, minimizing re-work costs that would otherwise be incurred.
- Automatic machine programming ensures that no miscommunication occurs between the process plan and how machines execute on that plan.
- Early identification of defective parts in-process reduces the chance of performing non-value-added work in subsequent operations, saving the associated material and resource costs for those unnecessary steps.
- Minimizing the need to quarantine defective parts during inventory or work-in-process reduces labor costs and frees up these resources for higher value-added tasks.
- Matching engineering change notices to defective lots or parts-in-process saves product design/engineering re-work.
- Catching defects through process monitoring before the product is further processed reduces production cost and waste.
- Catching defects through process monitoring before the product is shipped to customers results in fewer recall events.


Long-term benefits

- Identifying which specific parts/lots are defective by linking them to faulty processes means fewer products need to be recalled per recall event, saving shipping and services costs, among other direct savings.
- Fewer recalls and fewer products involved in each recall enhances customer perception of quality and minimizes negative quality perception/litigation.

Conclusion

Soon product and component traceability will be mandated, both by customers and governments. However, manufacturers should be proactive with traceability initiatives since the costs of warranty management, product recall and poor quality are extremely high. Proper traceability initiatives require a link between the manufacturer's production planning and execution systems. A complete digital manufacturing for traceability system will minimize both the likelihood and cost of product recalls, saving enormous time and money on defective products that are still in process.

Properly implemented, a digital manufacturing for traceability system enables manufacturers to better control the quality and performance of manufacturing processes in a mixed IT, mixed automation and multi-tier supplier manufacturing environment. It reduces the manufacturing cost of quality and warranty management while minimizing the negative impact that recalls and poor quality have on the brand. The result is improved customer satisfaction and increased profits.



About Siemens PLM Software

Siemens PLM Software, a business unit of the Siemens Industry Automation Division, is a leading global provider of product lifecycle management (PLM) software and services with nearly 6.7 million licensed seats and 63,000 customers worldwide. Headquartered in Plano, Texas, Siemens PLM Software works collaboratively with companies to deliver open solutions that help them turn more ideas into successful products. For more information on Siemens PLM Software products and services, visit www.siemens.com/plm.

Siemens PLM Software

Headquarters

Granite Park One
5800 Granite Parkway
Suite 600
Plano, TX 75024
USA
972 987 3000
Fax 972 987 3398

Americas

Granite Park One
5800 Granite Parkway
Suite 600
Plano, TX 75024
USA
800 498 5351
Fax 972 987 3398

Europe

3 Knoll Road
Camberley
Surrey GU15 3SY
United Kingdom
44 (0) 1276 702000
Fax 44 (0) 1276 702130

Asia-Pacific

Suites 6804-8, 68/F
Central Plaza
18 Harbour Road
WanChai
Hong Kong
852 2230 3333
Fax 852 2230 3210

www.siemens.com/plm

© 2010 Siemens Product Lifecycle Management Software Inc. All rights reserved. Siemens and the Siemens logo are registered trademarks of Siemens AG. D-Cubed, Femap, Geolus, GO PLM, I-deas, Insight, Jack, JT, NX, Parasolid, Solid Edge, Teamcenter, Tecnomatix and Velocity Series are trademarks or registered trademarks of Siemens Product Lifecycle Management Software Inc. or its subsidiaries in the United States and in other countries. All other logos, trademarks, registered trademarks or service marks used herein are the property of their respective holders.

X6 4996 7/10 C